

MARVELL® 88SS1098 SSD Controller

PCIe Gen3x4, 8-Channel NAND Controller with NVMe and SATA interfaces supporting up to 8TB capacity

PRODUCT OVERVIEW


The Marvell® 88SS1098 enables high-performance and high-capacity SSDs for use in enterprise and data center environments. Leveraging a quad-core Arm® Cortex®-R5 architecture with support for up to 8GB DRAM, these controllers can enable high-performance SSDs to meet the demands of the most challenging workloads.

For enterprise use cases, 88SS1098 can also support PCle Gen3x4 dual port (active/active) to enable high availability systems.

88SS1098 leverages the newest Marvell Gen4 NANDEdge™ LDPC engine for extracting the highest performance from MLC and TLC memories while providing the most P/E cycles.

88SS1098 also supports TCG standards including an AES engine and OTP storage for secure drive configuration.

BLOCK DIAGRAM



Marvell 88SS1098 SSD Controller

KEY FEATURES AND BENEFITS

FEATURES	BENEFITS
Processor	Quad Cortex®-R5 CPUsDynamic Branch PredictionDMA controller
PCIe Interface	PCle Gen3x4 (with dual port support)
DDR Controller	Up to 8GB DDR3, DDR4, LPDDR3, LPDDR4 at speeds up to 2400MT/s with ECC support
Flash Controller	 8 Channels @ 800MT/s ONFI 2.2/2.3/3.0/4.0, JEDEC mode and Toggle 1.0/2.0 Hardware RAID Marvell NANDEdge™ Gen4 LDPC engine
NVMe	 NVMe Standard Revision 1.3 compliance 256 outstanding I/O commands 132 total queue pairs 64 Virtual Functions MSI and MSI-X interrupt mechanisms T-10 DIF and end-to-end protection
TCG	 OTP support for secure drive configuration AES encryption hardware Media re-encryption hardware
Package	Available in standard 17mm x 17mm (625 ball) BGA package

TARGET APPLICATIONS

• Enterprise and data center SSDs

